

### AMENDMENTS TO THE CLAIMS

This Listing of Claims will replace all prior versions and listings of the Claims in the subject Patent Application:

#### Listing of Claims:

1. (Currently Amended) A computer peripheral with cable reeling device, comprising:  
  
a ~~detachable cable~~ cable reeling device ~~adapted to be electrically coupled to a computer and selectively coupled to anyone of a plurality of peripheral devices,~~ having a housing and a communication cable wound in a first portion of said housing, said communication cable including a first end and a second end respectively connecting with a first connector and a second connector, said communication cable and being extensibly wound in the housing with at least one retractable said first end being retractably extendable from said housing, said housing having a receiving space formed in a second portion thereof, said second portion of said housing being disposed adjacent to said first portion of said housing; and  
  
an ~~input a mouse~~ mouse device detachably coupled ~~with a front portion of the reeling device to said housing in said receiving space, and said mouse device having a third connector~~ electrically coupled to the reeling device connected to said second

connector, said reeling mouse device being separable from said housing and said third connector being disconnected from said second connector independently operable with regard to, said input device, wherein said cable reeling device is then independently operable to electrically couple anyone of a said plurality of peripheral devices to a said computer.

Claim 2 (Currently amended): The computer peripheral with cable reeling device as claimed in claim 1, wherein ~~the housing of the reeling device has a receiving portion extending therefrom, the receiving portion is formed with~~ of the housing has a through hole formed therein, and the ~~input mouse device is received on the receiving portion of the reeling device~~ has a position sensor aligned with said through hole.

Claim 3 (Cancelled).

Claim 4 (Original): The computer peripheral with cable reeling device as claimed in claim 3, wherein the first connector, the second connector and the third connector are USB connectors.

Claim 5 (Cancelled).

Claim 6 (Original): The computer peripheral with cable reeling device as claimed in claim 1, wherein the reeling device has a switch unit for controlling drawing out of the communication cable with one end or two ends.

Claims 7 - 8 (Cancelled).

Claim 9 (Currently amended): The computer peripheral with cable reeling device as claimed in claim 1, ~~wherein the input device has a main body and~~ further comprising an upper shell ~~disposed on the main body, the main body having a circuit unit mounted therein, the upper shell having a left button and a right button mounted thereon, and the main body and the upper shell engaged with the reeling device, wherein the circuit unit has a left button switch mating with the left button, a right button switch mating with the right button, and a wheel exposed outside the upper shell cover overlaying said housing,~~ said upper cover being releasably coupled to said first portion of said housing and

extending over said receiving space and defining operable buttons depressible to operate corresponding switches of said mouse device.

Claim 10 (Currently amended): The computer peripheral with cable reeling device as claimed in claim 9, wherein ~~the main body~~ said mouse device and the upper ~~shell cover~~ are respectively each formed with a respective plurality of posts on a bottom portion thereof, ~~and the~~ said posts being respectively releasably engaged with corresponding engaging holes formed in the housing ~~of the reeling device~~.

Claim 11 (Cancelled).

Claim 12 (Currently amended): The computer peripheral with cable reeling device as claimed in claim ~~11~~ 1, wherein the ~~main body~~ mouse device is formed with a plurality of posts on a bottom portion thereof for ~~respectively engaging~~ respective releasable engagement with corresponding engaging holes formed in the receiving portion of said housing ~~of the reeling device~~.